


PLATE I

EXPLANATION OF PLATE I.

Site I. — *Lates* sp.

1. 1st vertebra anterior face ($0.8 \times$).
 2. 1st vertebra, left lateral view ($0.8 \times$).
 3. 2nd vertebra, right lateral view ($0.7 \times$).
 4. 3rd vertebra, right lateral view ($0.8 \times$).
 5. 8th or 9th abdominal vertebra, lateral view ($0.8 \times$).
 6. Caudal vertebra, right lateral view ($0.9 \times$).
 7. Neurocranium right lateral view ($0.4 \times$).
-




P. H. GREENWOOD. — Quaternary Fish-fossils.

PLATE II

EXPLANATION OF PLATE II.

Site I. — *Lates* sp.

1. Ethmoid-vomer, left lateral view ($0.8 \times$).
 2. Ethmoid-vomer, ventral view ($0.9 \times$).
 3. 3rd and 4th vertebrae, right lateral view ($0.8 \times$).
 4. Penultimate and ultimate abdominal vertebrae, lateral view ($0.7 \times$).
 5. Caudal vertebra, lateral view ($0.9 \times$).
-




P. H. GREENWOOD. — Quaternary Fish-fossils.

PLATE III

EXPLANATION OF PLATE III.

Site I. — *Lates* sp.

1. Right articular, lateral view ($0.8 \times$).
 2. Left cleithrum, lateral view ($0.7 \times$).
 3. Right premaxilla, lateral view ($0.8 \times$).
 4. Left quadrate, medial aspect ($0.7 \times$).
 5. Right dentary, lateral aspect ($0.8 \times$).
 6. Right ectopterygoid, ventral view ($0.8 \times$),
 7. Left preoperculum, lateral view ($0.7 \times$).
-




P. H. GREENWOOD. — Quaternary Fish-fossils.

PLATE IV

EXPLANATION OF PLATE IV.

Site I (figs. 1 and 2). — Site II (figs. 3-6).

1. *Bagrus* sp. occipital region of skull, dorsal view.
 2. *Idem*, left lateral view ($0.85 \times$).
 3. *Lates*, 1st vertebra anterior face ($0.8 \times$).
 4. *Lates*, 2nd vertebra anterior face ($1.0 \times$).
 5. *Lates*, basioccipital and first vertebra, right lateral view ($0.8 \times$).
 6. *Lates*, vomer, ventral face ($0.95 \times$).
-




P. H. GREENWOOD. — Quaternary Fish-fossils.

PLATE V

EXPLANATION OF PLATE V.

Site I (figs. 1-10). — Site IV (fig. 11). — Site V (figs. 12-14).

- 1 and 2. *Clarotes* sp. pectoral spine, anterior and posterior faces ($0.8 \times$).
 - 3 and 4. *Auchenoglanis* sp., dorsal spine, anterior and posterior faces ($0.8 \times$).
 - 5 and 6. *Tilapia* sp. 1st anal pterygiophore (both $0.8 \times$).
 7. *Bagrus* sp., fused anterior vertebral mass, lateral view ($0.8 \times$).
 8. *Bagrus* sp., dermethylmoid, dorsal view ($0.8 \times$).
 - 9 and 10. *Auchenoglanis* sp., pectoral spine, anterior and posterior faces ($0.8 \times$).
 11. *Lates* sp., gillraker ($0.7 \times$).
 12. *Lates* sp., 1st vertebra, anterior face ($0.9 \times$).
 13. *Lates* sp., abdominal vertebra, lateral view ($0.8 \times$).
 14. *Auchenoglanis* sp., left humeral process, lateral aspect ($0.8 \times$).
 15. *Auchenoglanis* sp., pectoral spine, posterior face ($0.9 \times$).
-




P. H. GREENWOOD. — Quaternary Fish-fossils.

PLATE VI

EXPLANATION OF PLATE VI.

Site VIII a.

- 1 and 2. *Clarotes* sp., pectoral spine, dorsal and posterior faces ($1.5 \times$).
 3. *Proptopterus* sp., left mandibular tooth-plate, lateral aspect ($1.5 \times$).
 4. Fragment of Clariid neurocranium ($1.5 \times$).
-




P. H. GREENWOOD. — Quaternary Fish-fossils.

PLATE VII

EXPLANATION OF PLATE VII.

Site VIII b (figs. 1, 5 and 7). — Site VIII c (figs. 2-4, 6-8).

1. *Lates* sp., Abdominal vertebra, oblique lateral view (1.7 \times).
 2. *Lates* sp., dentary, medial aspect (1.6 \times).
 3. *Lates* sp., left preoperculum, lateral aspect (1.1 \times).
 4. *Lates* sp., ectopterygoid, ventral aspect (1.2 \times).
 5. *Barbus* sp., abdominal vertebra, lateral view (1.6 \times).
 6. *Synodontis* sp., pectoral spine, dorsal and posterior aspects (1.6 \times).
 7. *Synodontis* sp., pectoral spine, dorsal aspect (1.6 \times).
 8. *Synodontis* sp., left humeral process, lateral aspect (1.8 \times).
-



P. H. GREENWOOD. — Quaternary Fish-fossils.


PLATE VIII

EXPLANATION OF PLATE VIII.

Barbus sp. or spp. (see text p. 42).

Site IX (figs. 1-8 and 10-19). — Site X a (figs. 8 and 9). — Site X b (figs. 20 and 21).

- 1 and 2. Right operculum, lateral and medial aspects ($0.5 \times$).
 3. Left hyomandibular, lateral aspect ($0.5 \times$).
 4. Right quadrate, medial aspect ($0.6 \times$).
 5. Fragment of pharyngeal bone, showing major pharyngeal tooth ($0.6 \times$).
 6. Entire pharyngeal bone (right), medial aspect ($0.65 \times$).
 7. Left dentary, lateral aspect ($0.65 \times$).
 8. Fragment of pharyngeal bone, showing major pharyngeal tooth ($0.75 \times$).
 9. Fragment of right dentary ($0.75 \times$).
 - 10 and 11. 3rd interneural pterygiophore, posterior and anterior faces ($0.6 \times$).
 - 12 and 13. 3rd interneural pterygiophore, anterior and posterior faces ($0.6 \times$).
 - 14 and 15. 1st interneural pterygiophore, anterior and lateral aspects ($0.65 \times$).
 - 16 and 17. 1st and 2nd vertebrae ($0.4 \times$).
 - 18 and 19. Caudal vertebrae ($0.4 \times$).
 20. Abdominal vertebra ($0.8 \times$).
 21. Caudal vertebra ($0.8 \times$).
-




P. H. GREENWOOD. — Quaternary Fish-fossils.

PLATE IX

EXPLANATION OF PLATE IX.

Site IX. — *Synodontis frontosus* (figs. 1-12) and ? *Heterobranchus* sp. (figs. 13 and 14).

1. Supraoccipital, dorsal view ($1.2 \times$).
 - 2 and 3. Left and right frontal (from different individuals) ($1.2 \times$).
 4. Occipito-nuchal plate, dorsal view ($1.2 \times$).
 5. Ethmoid, dorsal view ($1.25 \times$).
 - 6 and 7. Left and right humeral process and cleithrum (left $1.3 \times$, right $1.2 \times$).
 8. 2nd dorsal spine, anterior aspect ($1.2 \times$).
 - 9 and 10. 3rd dorsal spine lateral and anterior aspects (anterior $1.2 \times$, lateral $1.0 \times$).
 - 11 and 12. Anterior abdominal vertebrae ($1.0 \times$).
 13. ? *Heterobranchus* sp., ? post-temporal, dorsal view ($1.0 \times$).
 14. ? *Heterobranchus* sp., frontal, dorsal view ($1.0 \times$).
-




P. H. GREENWOOD. — Quaternary Fish-fossils.

PLATE X

EXPLANATION OF PLATE X.

Site IX. -- *Clarias* cf. *C. lazera*.

1. Supra-orbital, dorsal view (1.2 \times).
 2. Prefrontal, dorsal view (1.2 \times).
 3. Frontal, dorsal view (1.0 \times).
 4. Urohyal, ventral aspect (1.5 \times).
 5. Supraoccipital, dorsal view (1.3 \times).
 6. Dermethmoid, dorsal view (1.2 \times).
 7. Fragment of cleithrum, ventro-lateral aspect (1.0 \times).
 8. Epi- and ceratohyal, ventral aspect (1.0 \times).
-



P. H. GREENWOOD. — Quaternary Fish-fossils.